




DASCOM LED LIGHTING SOLUTIONS

LED MR16

Applications: Showroom, Shopping Malls, Meeting Room,
Retail Stores, Exhibition Hall, Home Lighting and Hotels

SONARAY




LED MR16


MR16-1004

CE RoSH IP20

Power :4W@DC12V/AC12V
 Luminous Flux : 216lm
 Luminous Efficacy : 54lm/w
 Color Temperature:3000K
 CRI: ≥85
 Beam Angle: 39°
 Material: Aluminum
 Housing Color: Grey/Black/White
 Power Supply: External Input
 Voltage : DC12V/AC12V
 Weight : 62.5g
 Average Lifetime : ≥30000hrs



H(m)	E(lx)	D(cm)
1	283	73
2	71	146
3	31	219
4	18	292




LED MR16


MR16-1006

CE RoSH IP20

Power :6W@DC12V/4W@AC12V
 Luminous Flux : DC:294lm/AC:196lm
 Luminous Efficacy : 49lm/w
 Color Temperature:3000K
 CRI: ≥85
 Beam Angle: 39°
 Material: Aluminum
 Housing Color: Grey/Black/White
 Power Supply: External Input
 Voltage : DC12V/AC12V
 Weight : 62.5g
 Average Lifetime : ≥30000hrs



H(m)	E(lx)	D(cm)
1	342	71
2	86	143
3	38	215
4	21	287




LED MR16


MR16-1004D

CE RoSH IP20

Power :4W
 Luminous Flux : 196lm
 Luminous Efficacy : 49lm/w
 Color Temperature:3000K
 CRI: ≥85
 Beam Angle: 39°
 Material: Aluminum
 Housing Color: Grey/Black/White
 Power Supply: External Input
 Voltage : DC12V
 Weight : 62.5g
 Average Lifetime : ≥30000hrs



H(m)	E(lx)	D(cm)
1	286	73
2	72	146
3	32	219
4	18	292




LED MR16

MR16-1006D

CE RoSH IP20

Power :6W
 Luminous Flux : 294lm
 Luminous Efficacy : 49lm/w
 Color Temperature:3000K
 CRI: ≥85
 Beam Angle: 39°
 Material: Aluminum
 Housing Color: Grey/Black/White
 Power Supply: External Input
 Voltage : DC12V
 Weight : 62.5g
 Average Lifetime : ≥30000hrs



H(m)	E(lx)	D(cm)
1	369	71
2	92	143
3	41	215
4	23	287